



NOTES:

- () INDICATES DIMENSIONS IN MILLIMETERS
- FLOWGUIDE AND ENCLOSURE ARE CONSTRUCTED FROM 0.125" (3) THK. MILD STEEL PLATE WITH 0.25" (6) THK. MILD STEEL PLATE FLANGES.
- FINISH IS PAINTED MILD STEEL OR OPTIONAL STAINLESS STEEL.
- REFER TO THE CUSTOMER APPLICATION DIAGRAM AND THE FLOWMETER INSTRUCTION MANUAL, SUPPLIED BY SIEMENS MILLTRONICS. FOR FURTHER INFORMATION CONTACT YOUR SIEMENS MILLTRONICS REPRESENTATIVE.

2		ADD MILLTRONICS TO PRODUCT NAME . UPDATE FORMAT PER ECN 2003-0293		RPC	PTR	MAR 02/2004
USE DIMENSIONS ONLY - DO NOT SCALE				REPLACES 0-7510090Z-SM-C REV 1		
DIMENSIONS ARE IN INCHES				Rev.	Revision / ECN Description	Drawn Appr. Date
Third Angle Projection		Product Group MASS DYNAMICS		Tolerance Unless Otherwise Noted: UOS 1 Place Decimal ± 0.03 Angles: ± 0.5° 2 Place Decimal ± 0.01 3 Place Decimal ± 0.002		Scale: 3=32
Date: 24 OCT 96		Drawn: TJTD		TITLE: MILLTRONICS A-40 FLOWMETER 8" (203) CUSTOMER OUTLINE DIAGRAM		
Checked: C. CLEMENTS		Approved: R. CLOSS		DRAWING No: 23650480		
Location: PETERBOROUGH		SIEMENS MILLTRONICS PROCESS INSTRUMENTS INC. Peterborough, Ontario, Canada		Rev. 2		
File No. 2365048002		Plot at: 3=32		Sheet 1 of 1		

For Public Release