



- NOTES:**
1. MILD STEEL OR STAINLESS CONSTRUCTION.
 2. FLOWMETER SUPPORT SHOULD BE RIGID AND INDEPENDENT OF HOUSING (CABINET)
 3. ANY MODIFICATION OR CHANGE SHOULD BE APPROVED BY SIEMENS MILLTRONICS.
 4. SEE DATA SHEET FOR MATERIAL SPECIFICATIONS.
 5. SEE INSTRUCTION MANUAL FOR LEVELING THE FLOWMETER SENSING HEAD.
 6. () INDICATES DIMENSIONS IN MILLIMETERS.

2		ADD MILLTRONICS TO PRODUCT NAME/UPDATE BORDER PER ECN 2003-0288	RPC	PTR	DEC 22/03	
USE DIMENSIONS ONLY - DO NOT SCALE		REPLACES 1-7530004Z-DP-B REV 1				
DIMENSIONS ARE IN INCHES		Rev.	Revision / ECN Description	Drawn	Appr.	
Third Angle Projection		Product Group	Tolerance Unless Otherwise Noted:	Scale:	Size:	
FOR INTERNAL USE ONLY		MASS DYNAMICS	1 Place Decimal ± 0.03	1=16	B	
		Date: 25 OCT 90	Angles: ± 0.5°			
		Drawn: D. McCONNELL	3 Place Decimal ± 0.002	TITLE: MILLTRONICS E-300 FLOWMETER, c/w 10" (254) INLET OUTLINE DIMENSIONS		
		Checked:		DRAWING No: 23650471	Rev. 2	
		Approved:				
		Location: PETERBOROUGH				
		SIEMENS MILLTRONICS PROCESS INSTRUMENTS INC. Peterborough, Ontario, Canada				
		File No. 2365047102	Plot at: 1= 16	Sheet 1 of 1		