



- NOTE**
- 1). THE FLOWMETER MUST BE INSTALLED TO WITHIN $\pm 1^\circ$.
 - 2). FOR SENSING PLATE REMOVAL, CLEARANCE OF 28" (711 mm) ABOVE THE TOP COVER IS REQUIRED.
 - 3). FOR FURTHER INFORMATION PLEASE REFER TO THE MILLTRONICS MILLFLO INSTRUCTION MANUAL.

1		ADD MILLTRONICS TO PRODUCT NAME/UPDATE BORDER PER ECN 2003-0289	RPC	PTR	DEC 19/03	
USE DIMENSIONS ONLY - DO NOT SCALE		REPLACES 1-7500056Z-SM-B	REV	0		
DIMENSIONS ARE IN INCHES		Rev.	Revision / ECN Description	Drawn	Appr.	
Third Angle Projection		Product Group	Tolerance Unless Otherwise Noted: UOS	Scale:	Size:	
		MASS DYNAMICS	1 Place Decimal ± 0.03	Angles: $\pm 0.5^\circ$	0.093=1	
		Date: 17 MAR 92	2 Place Decimal ± 0.01			
FOR INTERNAL USE ONLY		Drawn: R. VASS	3 Place Decimal ± 0.002	TITLE: MILLTRONICS MILLFLO, 8" (203 mm) 60°, CUSTOMER OUTLINE DIAGRAM		
		Checked:		DRAWING No: 23650484		
		Approved:		Rev. 1		
		Location: PETERBOROUGH				
		SIEMENS MILLTRONICS PROCESS INSTRUMENTS INC. Peterborough, Ontario, Canada				
		File No. 2365048401	Plot at: 3=32	Sheet 1 of 1		