





A | B | C | D | E | F | G | H | I | J



NOTES:

1) THE PROXIMITY SENSOR SHOULD BE POSITIONED TO GIVE 0.8mm (.032) CLEARANCE FROM THE SPOKES OF THE WHEEL AT THE CLOSEST POINT.

5 PULSES PER REVOLUTION (APPROX. 9.95 PULSES / METER)
3.03 PULSES / FOOT

2) INTEGRATOR CONNECTION: BROWN – EXCITATION (+15 Vdc)
BLUE – COMMON
BLACK – SIGNAL

USE DIMENSIONS ONLY - DO NOT SCALE		0	FOR CONSTRUCTION	RPC	PTR	JUNE 06/03
DIMENSIONS ARE IN MILLIMETERS		Rev.	Revision / ECN Description	Drawn	Appr.	Date
	Product Group	7MH7131		Tolerance Unless Otherwise Noted: UOS		Scale:
	Date:	06 / JUNE / 03		0 PLC DECIMAL ± 0.8 1 PLC DECIMAL ± 0.3 2 PLC DECIMAL ± 0.10		Angles: ± 0.5°
CONFIDENTIAL <small>IMPORTANT NOTICE</small> THIS DOCUMENT REMAINS THE PROPERTY OF SIEMENS MILLTRONICS AND IS SUBJECT TO RECALL. IT MAY NOT BE COPIED, AND IS ISSUED AND CAN BE UTILIZED ONLY FOR SUCH LIMITED PURPOSES AS MAY SPECIFICALLY HAVE BEEN AUTHORIZED BY SIEMENS MILLTRONICS. IT IS TO BE MAINTAINED CONFIDENTIAL, SINCE IT MAY CONTAIN PROPRIETARY INFORMATION AND TRADE SECRETS OF SIEMENS MILLTRONICS OR OTHERS. THE ITEMS DEPICTED MAY THEMSELVES BE THE SUBJECT OF PATENTS, INDUSTRIAL DESIGN REGISTRATIONS OR COPYRIGHTS OF SIEMENS MILLTRONICS OR OTHERS, AND THE ISSUE OF THIS DRAWING DOES NOT IMPLY ANY LICENSE UNDER ANY SUCH RIGHTS. COPYRIGHT SIEMENS MILLTRONICS PROCESS INSTRUMENTS INC. ALL RIGHTS RESERVED	Drawn:	R. CLYSDALE		TITLE: TASS 5 SPEED SENSOR C/W MOUNTING BRACKET CUSTOMER OUTLINE DRAWING		
	Checked:	R. CLOSS				
	Approved:	P. RICCI		DRAWING No: 23650427		
	Location:	PETERBOROUGH				
SIEMENS MILLTRONICS PROCESS INSTRUMENTS INC. Peterborough, Ontario, Canada		File No.	2365042700	Plot at:	1 : 1	Sheet 1 Of 1

1
2
3
4
5
6
7
8
9
10